Protective clothing and workwear



Conversion chart	515
easyprotect365+ protection for high pressure cleaning	514-515
Hose protection/shroud easyprotect365+	515
R+M / Suttner team wear	512
Safety spectacles, safety goggles and face shields	513
Size chart	515
	499

R+M / Suttner team wear

Softshell-jacket

Team jacket 3 in 1 with softshell inner jacket



» Design: Breathable

- » High-quality business-polo-shirt
- » 100% cotton, approximately 210 g/m²

» Color: Navy / blue

R+M Nr.	size	
980 015 1	S	
980 016 1	Μ	
980 017 1	L	
980 018 1	XL	
980 019 1	2XL	
980 020 1	3XL	
980 020 11	4XL	

Sweat-shirt



- » Design: Round neck, long sleeve
- » High-quality work-sweat-shirt
- $\gg 80~\%$ cotton, 20 % polyester 320 g/m²
- » Color: Navy / blue

R+M Nr.	size	R+M Nr.
980 021 1	S	980 060 1
980 022 1	Μ	980 061 1
980 023 1	L	980 062 1
980 024 1	XL	980 063 1
980 025 1	2XL	980 064 1
980 026 1	3XL	980 065 1
980 027 1	4XL	980 666 1



- » Design: Waterproof, breathable, warm inside, wind resistant
- » 2 zippered side pockets
- » 1 chest pocket
- » Material: Shell: 96 % Polyester, 4 % Elastane
 » Color: Navy / grey

R+M Nr.	size
980 040 1	S
980 041 1	Μ
980 042 1	L
980 043 1	XL
980 044 1	2XL
980 045 1	3XL
980 046 1	4XL





- » Design: Short sleeve
- » High-quality work-shirt
- » 100 % cotton about 195 g/m²
- » Color: Navy / blue

DIMA	
R+M Nr.	size
980 060 1	S
980 061 1	Μ
980 062 1	L
980 063 1	XL
980 064 1	2XL
980 065 1	3XL
980 666 1	4XL



- » Design: Outer jacket: Waterproof, breathable, windproof
- » Mesh lining in the upper body area, taped seams, integrated hood, adjustable cuffs, Velcro stormflap, security pocket with zipper, unisex
- » 2 zippered side pockets, 2 side pockets with zipper
- » Soft shell inner jacket with a warm interior
- » Material: Outer: Isotex 5000 polyester fabric
- » Material: Interior: Softshell
- » Color: Navy / black (always plain, no color combinations)

R+M Nr.	size
980 050	S
980 051	Μ
980 052	L
980 053	XL
980 054	2XL
980 055	3XL

Polo-shirt

Protective clothing and workwear

Safety spectacles, safety goggles and face shields

Safety spectacles



- » Anti-fog, scratch-proof and antistatic polycarbonate lens
- » Integrated side protection. Including neck cord
- » 100 % UV-protection
- » Protected against shock, splinters and solid particle
- » Weight 25 g



- » Anti-fog and scratch-proof polycarbonate smoke lens
- » Panoramac field of vision
- » 100 % UV-protection
- » Protected against shock, splinters and solid particle

Safety goggles with adjustable strap

» Weight 30 g

R+M Nr.

956 002 820



- » Anti-fog, scratch-proof and antistatic polycarbonate lens
- » Adjustable headgear
- » 100 % UV-protection
- » Protected against shock, splinters, solid particle and chemical danger (dangerous drops)
- » Weight 200 g

R+M Nr.

956 003 487

R+M Nr.
956 002 817

Safety goggles with temples



- » Anti-fog, scratch-proof and antistatic polycarbonate lens
- » Straight temples with adjustable strap. Integrated side protection. Exchangeable plastic foam rim with indirect ventilation
- » Including microfibre cloth
- » 100 % UV-protection
- » Shockproof in case of extreme temperatures
- » Protected against shock, splinters, solid particle and liquids
- » Weight 52 g

R+M Nr.
956 004 828

	6		
1		-	6
1	2	-	-

- » Anti-fog, scratch-proof and antistatic polycarbonate lens
- » Fits over prescription spectacles. Ball-pivot. Fits » Visor in connection with safety goggle with respiratory half mask
- » 100 % UV-protection
- » Shockproof in case of extreme temperatures. Resistant to chemical drops, toxic gases, small and big toxic particle, melting metals and hot solids
- » Weight 113 g

R+M Nr.

956 003 067



- » Anti-fog, scratch-proof and antistatic polycarbonate lens
- 956 003 067
- » Shockproof in case of extreme temperatures. Resistant to chemical drops, toxic gases, small and big toxic particle, melting metals and hot solids
- » Weight 73 g

The accident prevention regulations of the **Employer's Liability Insurance Association** regarding "the use of high pressure cleaner" (BGV D15) and "tasks with liquid jets" (BGV D26) prescribe that adequate eye and face protection have to be worn in case of an operating pressure of 25 bar and more.



R+M Nr.	VPE	Ž	size	↔
956 067 511	1 pair	0.38	11	330 mm
956 167 511	12 pairs	0.38	11	330 mm
956 267 511	144 pairs	0.38	11	330 mm

R+M Nr.

956 003 128

Category III - Protection Glove AlphaTec® Solvex®37-675.

Very durable nitrile glove for use with hazardous chemicals. The reversed lozenge finish further enhances levels of grip. Cotton-flock liner to the glove

easyprotect365+ protection for high pressure cleaning

easyprotect365+ professional protective clothing for abrasive blasting operations up to 500 bar / 7,500 psi.

The strongest fiber in the world for the toughest demands of the world. Thanks Dyneema any application grown to safely master the most difficult tasks.

The perfect protection for people who work professionally with high-pressure cleaner not only in the industry.

Comfort, function and safety

Until now there has been no adequate protection for high pressure cleaning.

Nothing that corresponded to the achievements of modern devices or user requirements on comfort and functionality. Our experience with water blasting work at high pressures (up to 500 bar / 7,500 psi) and other personal protective equipment are the basis for our new clothing range. **easy**protect365+ protection for high pressure cleaning.

Ideal protection for abrasive blasting of concrete rehabilitation works, shipyards, petrochemical and steel industry.

Overall with hood





Trousers



- » 3-layer overall with CE certification
- » Security for blasting work up to 500 bar
- » Adjustable cuffs, ventilation under the arms
- » Lined for maximum wearing comfort
- » Waterproof and breathable
- » Weight 2.5 kg. Sizes XS 3XL
- » Protection class 5/5/2



- » 3-layer jacket with hood and CE Certification
- » Security for blasting work up to 500 bar
- » Adjustable cuffs, ventilation under the arms
- » Lined for maximum wearing comfort
- » Waterproof and breathable
- » Weight 1.6 kg. Sizes XS 3XL
- » Protection class 5/5/2



- » 3-layer trousers with CE certification
- » Security for blasting work up to 500 bar
- » Pant with knife pocket, cargo pocket, zipper on the legs
- » Lined for maximum wearing comfort
- » Waterproof and breathable
- » Weight 1.3 kg. Sizes XS 3XL
- » Protection class 5/5/2

R+M Nr.	size	R+M Nr.	size	R+M Nr.	size
956 140 503	Μ	956 122 503	Μ	956 132 503	M
956 140 504	L	956 122 504	L	956 132 504	L
956 140 505	XL	956 122 505	XL	956 132 505	XL
956 140 506	2XL	956 122 506	2XL	956 132 506	2XL

Symbols ↔ length P pressure Ø diameter

Protective clothing and workwear

easyprotect365+ protection for high pressure cleaning

Special gloves

Apron



- » 3-layer apron with CE certification
- » Security for blasting work up to 500 bar
- » Ideal for work in warm environments
- » Adjustable carrying band, waist band
- » Easy to put on and waterproof
- » Weight 0.7 kg
- » One Size
- » Protection class 5/5/2



- » Special gloves with CE certification
- » Security for blasting work up to 500 bar
- » Sand-rubber coating for maximum grip
- » Extra inner glove made of nylon
- » Protection class 5 cut 4 abrasion, tear and cut resistance

size

8

» In two sizes 8/11

R+M Nr.

956 100 501

» Protection class 5/5/2

Personal and a second s	

- » Protective boots with CE Certification
- » Security for blasting work up to 500 bar
- » Designed for long working in rough conditions
- » Textile lining for maximum comfort
- » Waterproof and anti-slip sole
- » Weight 2.8 kg

Protective boots

- » Sizes 42 48
- » Protection class 5/5/3


R+M Nr.	
956 123 501	

* cm (ft. in.) ** cm (in.)


			956 100 502	11	
Size chart			Conversion chart		
Chart for	jacket, pants and over	alls	Chart for boots		
Size	body height *	breast size **	EUR	US	UK
XS	160-167 (5'3"-5'6")	84 (33")	42	9	8
S	168-175 (5'6"-5'9")	92 (36")	43	9.5	9
Μ	176-180 (5'9"-5'11")	100 (39")	44	10.5	10
L	181-186 (5'11"-6'1")	108 (43")	45	11.5	11
XL	187-192 (6'2"-6'4")	116 (46″)	46	12	11.5
2XL	193-200 (6'4"-6'7")	124 (49")	47	13	12.5
3XL	201-206 (6'7"-6'9")	132 (52")	48	13.5	13.5

R+M Nr. size 956 152 501 42 956 152 502 43 956 152 503 44 956 152 504 45 956 152 505 46 956 152 506 47 956 152 507 48

Protection class 5/5/2					
	rotating nozzle 500 bar/7,500 psi				
	flat jet 500 bar/7,500 psi				
	point jet 200 bar/3,000 psi				



Protection class 5/5/3



- flat jet 500 bar/7,500 psi
- point jet 300 bar/4,350 psi

CE 89/686/EEC

Note - load capacity for point jet: 300 bar / 4,350 psi

The hose protection is very smooth and flexible. P R+M Nr. Ø ⇔ 956 160 045 500 bar 750 mm 41 mm

Hose protection/shroud easyprotect365+

The hose is held close to vital parts of the body, so the danger of bursting hoses for the body is very

It was tested at 500 bar / 7500 psi. An adjustable strap keeps the hose guard securely in place.

high. The hose protection provides effective protection for the operator!